

## Historic, archived document

Do not assume content reflects current  
scientific knowledge, policies, or practices.



119  
EC714  
Cop. 2

*J. J. J.*

SEP 1 1964  
CURRENT SERIAL RECORDS

# Tobacco Stocks Report

## as of January 1, 1964

U. S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
TOBACCO DIVISION



The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

Stephen E. Wrather  
Director, Tobacco Division.

Washington, D. C.  
February 25, 1964

### CONTENTS

	Page
Discussion . . . . .	3 -5
Conversion factors for adjusting for losses in weight . . . . .	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent . . . . .	7
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT) . . . . .	8-11
Stocks of leaf tobacco, by types and groups of grades . . . . .	12-15
Summary of tobacco leaf represented in inventories of tobacco sheet . . . . .	16
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers . . . . .	17
Stocks of leaf tobacco, summary by types . . . . .	18

## BRIEF CLASSIFICATION OF LEAF TOBACCO

(Covering classes and types)

### CLASS 1, FLUE-CURED TYPES

- Type 11: Old Belt flue-cured; produced in the Piedmont sections of Virginia and North Carolina.  
Type 12: Eastern North Carolina flue-cured; produced in the coastal sections of North Carolina, north of the South River.  
Type 13: South Carolina flue-cured; produced in the coastal sections of South Carolina and the southeastern counties of North Carolina, south of the South River.  
Type 14: Georgia and Florida flue-cured; produced in southern Georgia and northern Florida.

### CLASS 2, FIRE-CURED TYPES

- Type 21: Virginia fire-cured; produced in the Piedmont and mountain sections of Virginia.  
Type 22: Tennessee-Kentucky fire-cured, eastern district, Clarksville, Springfield, and Hopkinsville; produced in a section east of the Tennessee River, in southern Kentucky and northern Tennessee.  
Type 23: Kentucky-Tennessee fire-cured, western district, Mayfield, and Murray; produced in a section between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

### CLASS 3, AIR-CURED TYPES

#### LIGHT AIR-CURED (CLASS 3a)

- Type 31: Burley; produced in Kentucky, Tennessee, Ohio, Indiana, West Virginia, Virginia, North Carolina, and Missouri.  
Type 32: Southern Maryland; produced in five counties of southern Maryland--Prince Georges, Anne Arundel, Calvert, Charles, and St. Marys.

#### DARK AIR-CURED (CLASS 3b)

- Type 35: One Sucker; produced in north-central Tennessee and south-central Kentucky.  
Type 36: Green River; produced in the northern part of Kentucky in the territory adjacent to Owensboro and Henderson.  
Type 37: Virginia sun-cured; produced in central Virginia, north of the James River.

### CLASS 4, CIGAR-FILLER TYPES

- Type 41: Pennsylvania Seedleaf; produced in Lancaster County, Pa., and the adjoining counties.  
Type 42-44: Ohio filler; produced in the Miami Valley section of Ohio and extending into Indiana.  
Type 46: Puerto Rican sun-grown, including primed (Deshojado) and stalk-cut (Mata); produced on the Island of Puerto Rico.

### CLASS 5, CIGAR-BINDER TYPES

- Type 51: Connecticut Broadleaf; produced in the Connecticut Valley sections of Connecticut and Massachusetts.  
Type 52: Connecticut Havana Seed; produced in the Connecticut and Housatonic Valley sections of Connecticut and Massachusetts.  
Type 54: Southern Wisconsin; produced in Wisconsin, south and east of the Wisconsin River.  
Type 55: Northern Wisconsin; produced in Wisconsin, north and west of the Wisconsin River, and in eastern Minnesota.

### CLASS 6, CIGAR-WRAPPER TYPES

- Type 61: Connecticut Shade; produced in the Connecticut Valley sections of Connecticut and Massachusetts.  
Type 62: Georgia and Florida Shade; produced in southwestern Georgia and north-central Florida.

### MISCELLANEOUS TYPES OF DOMESTIC TOBACCO

- Type 72: Louisiana Perique.  
Type 73: All domestic types of tobacco not otherwise classified.

### FOREIGN TYPES

- Type 81: Cuba.  
Type 82: Indonesia.  
Type 83: Philippine Islands.  
Type 84: Brazil.  
Type 85: Colombia.  
Type 86: Dominican Republic.  
Type 87: Paraguay.  
Type 88: All foreign-grown cigar-leaf not otherwise classified.  
Type 90: Foreign-grown cigarette and smoking tobacco (Turkish and other).

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/ 2/

Total stocks of leaf tobacco slightly higher than a year ago

Leaf tobacco stocks in the United States and Puerto Rico totaled 5,245 million pounds (farm-sales weight) as of January 1, 1964, based on the quarterly reports of dealers and manufacturers. This is an increase of 146 million pounds in leaf inventories compared with the previous January 1 (5,099 million). Higher stocks of flue-cured and burley was the principal factor in this overall increase. However, stocks of several other domestic types were somewhat larger than a year ago.

Marketings by tobacco growers of the 1963 crop prior to January 1, 1964, totaled approximately 1,835 million pounds, or 82 percent of the production. About 1,940 million pounds were sold in the corresponding period last year, representing about 85 percent of that year's crop.

Stocks as of January 1 included about 982 million pounds (farm-sales weight) of leaf tobacco under Government loans, up 268 million from a year ago. Larger flue-cured and burley loan holdings accounted for most of the increase. Loan stocks as of January 1, 1964, were divided as follows: Flue-cured, 699.3 million pounds; burley, 199.3 million; Maryland, 8.8 million; fire-cured, 34.7 million; dark air-cured, 19.5 million; and cigar leaf, 19.9 million.

---

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis.) This report is issued quarterly.

2/ All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.



## CIGARETTE-LEAF STOCKS

### Flue-cured, burley, and Maryland stocks above last January 1 Foreign-grown holdings smaller

Stocks of flue-cured tobacco totaled 2,879 million pounds as of January 1, 1964--an increase of 62 million over those reported the previous January 1 (2,817 million), and 256 million above those reported 2 years ago. Marketing of the 1963 crop was completed by January 1, with producers' sales totaling 1,364 million pounds, about 36 million smaller than the 1962 crop (1,400 million).

Burley tobacco holdings this January 1 were 1,519 million pounds--77 million above the stocks of a year ago (1,442 million). Sales of the 1963 crop on the auction markets prior to January 1 this year totaled about 443 million pounds, or about 60 percent of the crop. About 80 percent of the 1962 crop was marketed through the corresponding date a year earlier.

Maryland stocks as of January 1, 1964, were 76.5 million pounds--9.2 million more than those reported a year earlier (67.3 million).

Stocks of foreign-grown cigarette and smoking tobacco (Turkish and other) were 256.3 million pounds--10.7 million less than inventories of a year ago (267.0 million).

## DARK TOBACCO STOCKS

### Holdings of fire-cured and dark air-cured stocks larger than on January 1, 1963

Fire-cured tobacco stocks, reported as 103.3 million pounds on January 1, 1964, were larger than those of a year ago (99.7 million). Increases in inventories of the Kentucky and Tennessee types more than offset a decrease in the Virginia type. Virginia fire-cured holdings on January 1, 1964, were 20.1 million pounds; Eastern District Kentucky and Tennessee fire-cured, 65.2 million; and Western District, 17.9 million. Sales of the 1963 crop of type 21 on the auction markets prior to January 1 totaled 3.3 million pounds (5.1 million up to the same date a year ago). Markets in types 22 and 23, as is customary, did not open until after January 1.

Holdings of dark air-cured tobacco totaled 63.8 million pounds on January 1, 1964--3.6 million more than were reported a year earlier (60.2 million). Stocks of types 35 and 36 increased, and those of type 37 were a little lower. One Sucker stocks on this January 1 were 37.1 million pounds; Green River, 21.6 million; and Virginia sun-cured, 5.1 million. Auction sales prior to January 1 totaled 8.3 million pounds (6.4 million the previous year for the same period).

## CIGAR LEAF STOCKS

Filler stocks up from a year ago

Binder holdings down; wrapper stocks about the same

Imported cigar leaf stocks lower

Holdings by dealers and manufacturers of all domestic types of cigar leaf tobacco were reported as 283.5 million pounds (farm-sales weight) on January 1, 1964 (272.0 million a year earlier). Stocks of foreign-grown cigar leaf totaled 58.8 million pounds (unstemmed equivalent) on this January 1 reporting date--9.7 million less than holdings on the same date a year earlier (68.5 million), and 12.4 million less than the record-high stocks reported 2 years earlier (71.2 million).

Cigar filler type stocks totaling 180.1 million pounds were 13.0 million larger than those of a year ago (167.1 million). Holdings of all types were higher, as compared with January 1, 1963. Pennsylvania Seedleaf stocks this January 1 were 117.5 million pounds; Ohio filler, 18.8 million; and Puerto Rican, 43.8 million.

Stocks of cigar binder types were 74.1 million pounds on January 1, 1964 (76.0 million on the previous January 1). Holdings of the Connecticut types were a little lower, and those of the Wisconsin types a little higher, as compared with a year ago. Stocks of Connecticut Valley Broadleaf this January 1 were 14.7 million pounds; Connecticut Valley Havana Seed, 10.9 million; Southern Wisconsin, 21.9 million; and Northern Wisconsin, 26.6 million.

Shade-grown cigar wrapper stocks this January 1 were 29.3 million pounds--0.4 million above the figure reported a year earlier (28.9 million). Stocks of type 61 were lower, and those of type 62 higher, as compared with the previous January 1. Stocks of Connecticut Valley Shade on January 1, 1964 were 17.3 million pounds, and of Georgia and Florida Shade, 12.1 million. It appears likely that all of the 1963 crop of 18.3 million pounds was in stocks on January 1, 1964.

Stocks of Cuban (Havana) leaf were reported at 17.8 million pounds--a decrease of 9.5 million from a year ago. Holdings of Philippine Islands (Manila) at 12.5 million pounds were about 1.0 million less than on last January 1. Stocks of Indonesian leaf were 2.6 million pounds (1.9 million a year ago), Brazilian 4.4 million, Colombian 8.0 million, Dominican Republic 8.7 million, Paraguay 2.2 million, and other foreign-grown 2.6 million.

## STOCKS OF TOBACCO SHEET (see table 5)

Stocks represented in tobacco sheet show decrease

Stocks of leaf represented in inventories of "tobacco sheet" totaled 7.5 million pounds (reporting weight), compared with 8.4 million on the previous January 1. Of the total in "tobacco sheet" this January 1, 5.3 million pounds were for use in cigarettes and smoking tobacco, 2.2 million for cigar binder, and a very small quantity for wrappers for small cigars.

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco 1/

AUCTION MARKET AREAS (TYPES 11-37)

	Type number	Yield realized from farm-sales-weight to:				Factors to multiply by to convert:			
		Unstemmed		Stemmed		Stemmed		Unstemmed stocks	
		To the end of		Two years		stocks to		to farm-sales-	
		Percent	Percent	Percent	Percent	unstemmed	equivalent	weight equivalent	2/
		Packed weight	One year in storage	Two years in storage	Percent	Factor	Factor	Factor	Factor
Flue-cured . . . . .	11-14	89.5	89.2	89.0	68.2	1.282	1.282	1.12	1.12
Virginia fire-cured . . . . .	21	81.0	80.5	80.0	62.0	1.299	1.299	1.23	1.23
Tenn. and Ky. fire-cured . . . . .	22-23	96.8	93.0	91.5	69.5	1.316	1.316	1.04	1.04
Burley . . . . .	31	89.7	89.3	89.0	67.1	1.345	1.345	1.12	1.12
Southern Maryland . . . . .	32	97.2	96.0	94.1	69.0	1.351	1.351	1.02	1.02
One Sucker . . . . .	35	89.8	88.5	87.8	63.7	1.429	1.429	1.09	1.09
Green River . . . . .	36	88.7	87.3	86.0	63.7	1.316	1.316	1.13	1.13
Virginia sun-cured . . . . .	37	85.3	85.0	85.0	65.0	1.316	1.316	1.16	1.16

CIGAR LEAF (TYPES 41-62)

		Packed weight	One year in storage	Two years in storage	Percent	Factor	Factor	Factor	Factor
Pennsylvania Seedleaf . . . . .	41	97.3	84.0	82.0	58.0	1.387	1.387	3/	3/
Ohio . . . . .	42-44	-	83.4	81.0	57.0	1.387	1.387	3/	3/
Puerto Rico . . . . .	46	86.4	83.6	82.0	64.5	1.275	1.275	3/	3/
Connecticut Broadleaf . . . . .	51	97.0	85.4	83.1	62.5	1.292	1.292	3/	3/
Connecticut Havana Seed . . . . .	52	97.0	85.0	83.1	62.5	1.299	1.299	3/	3/
Southern Wisconsin . . . . .	54	-	81.5	79.1	59.5	1.300	1.300	3/	3/
Northern Wisconsin . . . . .	55	93.7	82.4	80.6	59.0	1.333	1.333	3/	3/
Connecticut Shade . . . . .	61	91.1	86.3	84.4	67.5	1.224	1.224	3/	3/
Ga. and Fla. Shade . . . . .	62	89.1	84.5	82.3	67.0	1.205	1.205	3/	3/

MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (72-90)

		Packed weight	One year in storage	Two years in storage	Percent	Factor	Factor	Factor	Factor
Miscellaneous Domestic . . . . .	72-73	-	-	-	-	1.333	1.333	1.09	1.09
Foreign-grown cigar leaf . . . . .	81-88	-	-	-	-	1.205	1.205	4/	4/
Foreign-grown cigarette and smoking tobacco . . . . .	90	-	-	-	-	1.205	1.205	4/	4/

1/ Based on information from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2/ Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. 3/ See footnote 2 on page 7 for conversion factors to farm-sales-weight equivalent for cigar leaf. 4/ Foreign grown stocks not converted to farm-sales-weight equivalent.



Table 2.--Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1964, compared with other quarters 1/ 2/

## FARM-SALES WEIGHT

Type name	U.S. type number	January 1,			October 1, 1963	July 1, 1963	April 1, 1963
		1964	1963	1962			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	2,878,905	2,817,118	2,622,726	2,626,513	2,281,570	2,563,583
Virginia fire-cured	21	20,123	22,306	22,124	20,236	22,311	23,356
Tennessee and Kentucky fire-cured (Eastern District)	22	65,200	62,249	59,800	73,414	81,061	89,789
Kentucky and Tennessee fire-cured (Western District)	23	17,949	15,096	13,425	19,804	21,226	22,996
Total Fire-cured	21-23	103,272	99,651	95,349	113,454	124,598	136,141
Burley	31	1,519,458	1,442,455	1,415,438	1,227,896	1,385,897	1,519,564
Southern Maryland	32	76,485	67,324	60,591	86,045	84,287	62,070
Total Light Air-cured	31-32	1,595,943	1,509,779	1,476,029	1,313,941	1,470,184	1,581,634
One Sucker	35	37,084	34,564	38,882	37,346	40,560	43,832
Green River	36	21,585	20,128	20,229	20,844	22,470	24,266
Virginia sun-cured	37	5,111	5,466	5,364	5,097	5,473	5,965
Total Dark Air-cured	35-37	63,780	60,158	64,475	63,287	68,503	74,063
Pennsylvania Seedleaf	41	117,511	113,187	102,512	127,971	141,927	147,435
Ohio Filler (Miami Valley)	42-44	18,762	17,595	16,346	21,061	22,748	23,893
Puerto Rican:							
In United States	46	14,702	14,084	15,120	13,932	14,366	14,740
In Puerto Rico	46	29,134	22,274	22,415	35,260	45,770	33,529
Total Cigar-filler	41-46	180,109	167,140	156,393	198,224	224,811	219,597
Connecticut Valley Broadleaf	51	14,668	17,640	19,401	15,492	17,451	18,001
Connecticut Valley Havana Seed	52	10,851	11,659	12,551	10,095	10,724	11,042
Southern Wisconsin	54	21,940	21,368	21,512	24,294	26,370	28,335
Northern Wisconsin	55	26,632	25,307	24,474	27,578	30,224	33,243
Total Cigar-binder	51-55	74,091	75,974	77,938	77,459	84,769	90,621
Connecticut shade	61	17,256	18,495	19,080	16,331	13,686	16,692
Georgia and Florida shade	62	12,090	10,363	12,093	9,304	8,860	10,266
Total Cigar-wrapper	61-62	29,346	28,858	31,173	25,635	22,546	26,958
Perique	72	579	675	615	689	818	712
Other Miscellaneous Domestic 3/ 4/	73	3,542	4,397	2,695	3,291	3,016	3,949
Total Miscellaneous Domestic	72-73	4,121	5,072	3,310	3,980	3,834	4,661
Cuba 5/	81	17,776	27,307	39,895	19,179	20,803	23,872
Indonesia 5/	82	2,638	1,921	1,133	2,399	2,067	1,723
Philippine Islands 5/	83	12,478	13,460	13,641	13,202	14,374	13,456
Brazil 5/ 6/	84	4,381	3,109	(	4,650	4,896	4,252
Colombia 5/ 6/	85	8,026	7,489	(	9,823	10,284	7,718
Dominican Republic 5/ 6/	86	8,705	9,147	( 16,501	7,825	9,025	10,696
Paraguay 5/ 6/	87	2,173	2,785	(	2,603	2,869	2,718
Other foreign-grown cigar-leaf 5/ 6/	88	2,642	3,330	(	2,302	2,687	3,015
Total Foreign-grown Cigar-leaf	81-88	58,819	68,548	71,170	61,983	67,005	67,450
Foreign-grown cigarette & smoking tobacco (Turkish and other) 5/	90	256,261	266,994	244,760	264,670	297,518	302,931
Total All Types	11-90	5,244,647	5,099,292	4,843,323	4,749,146	4,645,338	5,067,639

1/ Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

2/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for January 1, 1964 are as follows: Type 41, 103; Types 42-44, 114; Type 46, 115; Type 51, 104; Type 52, 104; Type 54, 103; Type 55, 104; Type 61, 109; Type 62, 112. January 1, 1964 figures subject to revision.

3/ For explanation of stocks included in this classification, see footnote 5 on page 15.

4/ Includes Types 31-V, 70 and 77, previously reported separately.

5/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

6/ Not reported separately prior to July 1, 1962.

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1958-63 1/

TOTAL ALL TYPES 11-62

Marketing year	Carry-over 2/				Pro- duction	Total supply	Disappearance			Average price to growers
	Manu- facturers	Under loan	Other	Total			Total	Export	Other	
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1958	2,735.4	999.7	420.3	4,155.4	1,761.9	5,917.3	1,955.5	535.8	1,419.7	59.5
1959	2,638.5	955.8	367.5	3,961.8	1,823.9	5,785.7	1,954.3	503.8	1,450.5	57.9
1960	2,708.4	725.0	398.0	3,831.4	1,971.0	5,802.4	2,057.1	566.6	1,490.5	60.5
1961	2,689.3	665.5	390.5	3,745.3	2,091.5	5,836.8	2,083.2	590.2	1,493.0	63.4
1962	2,885.4	488.1	380.1	3,753.6	2,349.7	6,103.3	2,032.8	530.0	1,502.8	58.6
1963	2,907.7	678.3	484.5	4,070.5	3/2,345.8*	6,416.3*				

FLUE-CURED, TYPES 11-14  
(July-June Marketing Year)

1958	1,405.6	616.7	285.8	2,308.1	1,081.0	3,389.1	1,178.7	442.7	736.0	58.2
1959	1,328.0	639.9	242.5	2,210.4	1,080.7	3,291.1	1,185.0	419.2	765.8	58.3
1960	1,286.0	557.3	262.8	2,106.1	1,250.6	3,356.7	1,266.6	474.6	792.0	60.4
1961	1,336.8	506.7	246.6	2,090.1	1,257.9	3,348.0	1,266.9	485.5	781.4	64.3
1962	1,467.3	377.0	236.8	2,081.1	1,408.4	3,489.5	1,207.9	430.9	777.0	60.1
1963	1,478.0	496.3	307.3	2,281.6	3/1,360.0	3,641.6				

VIRGINIA FIRE-CURED, TYPE 21  
(October-September Marketing Year)

1958	12.9	7.7	3.2	23.8	9.4	33.2	10.7	5.4	5.3	36.9
1959	11.5	8.2	2.8	22.5	10.0	32.5	10.3	5.4	4.9	37.6
1960	11.0	7.9	3.3	22.2	8.9	31.1	10.2	6.2	4.0	39.4
1961	12.7	5.0	3.2	20.9	9.8	30.7	10.8	5.3	5.5	38.8
1962	11.9	5.1	2.9	19.9	9.5	29.4	9.2	5.1	4.1	38.8
1963	11.4	4.9	3.9	20.2	3/6.7	26.9				

TOTAL, TYPES 22-23  
(October-September Marketing Year)

1958	52.5	38.6	18.3	109.4	33.9	143.3	44.1	19.5	24.6	38.1
1959	48.4	37.3	13.5	99.2	43.0	142.2	41.0	18.6	22.4	38.3
1960	48.0	35.6	17.6	101.2	36.5	137.7	44.9	21.0	23.9	43.3
1961	47.9	26.8	18.1	92.8	43.3	136.1	46.7	29.6	17.1	40.2
1962	48.1	26.1	15.2	89.4	44.6	134.0	40.8	18.5	22.3	38.7
1963	47.0	31.0	15.2	93.2	3/46.0	139.2				

TENNESSEE AND KENTUCKY FIRE-CURED, TYPE 22  
(October-September Marketing Year)

1958	46.0	28.8	14.7	89.5	26.4	115.9	34.3			38.4
1959	42.2	28.8	10.6	81.6	32.1	113.7	31.3			39.0
1960	41.6	27.4	13.4	82.4	27.1	109.5	35.5			43.9
1961	40.6	20.0	13.4	74.0	32.1	106.1	33.9			40.7
1962	41.2	18.7	12.3	72.2	32.2	104.4	31.0			39.7
1963	40.1	21.6	11.7	73.4	3/33.3	106.7				

KENTUCKY AND TENNESSEE FIRE-CURED, TYPE 23  
(October-September Marketing Year)

1958	6.5	9.8	3.6	19.9	7.5	27.4	9.8			37.0
1959	6.2	8.5	2.9	17.6	10.9	28.5	9.7			36.2
1960	6.4	8.2	4.2	18.8	9.4	28.2	9.4			41.4
1961	7.3	6.8	4.7	18.8	11.2	30.0	12.8			38.9
1962	6.9	7.4	2.9	17.2	12.4	29.6	9.8			36.1
1963	6.9	9.4	3.5	19.8	3/12.7	32.5				

See footnotes at end of table.

Continued-

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1958-63 1/--Continued

BURLEY, TYPE 31  
(October-September Marketing Year)

Marketing year	Carry-over 2/				Pro-duction	Total supply	Disappearance			Average price to growers
	Manu- facturers	Under loan	Other	Total			Total	Export	Other	
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1958	960.2	276.3	40.0	1,276.5	465.5	1,742.0	517.7	34.8	482.9	66.1
1959	954.8	229.7	39.8	1,224.3	502.3	1,726.6	535.2	36.3	498.9	60.6
1960	1,050.0	89.2	52.2	1,191.4	484.7	1,676.1	548.8	41.3	507.5	64.3
1961	989.2	88.0	50.1	1,127.3	580.3	1,707.6	570.2	45.2	525.0	66.5
1962	1,049.3	33.2	54.9	1,137.4	674.7	1,812.1	584.2	53.5	530.7	58.6
1963	1,043.7	94.4	89.8	1,227.9	3/750.0*	1,977.9*				

MARYLAND, TYPE 32  
(October-September Marketing Year)

1958	47.5	11.1	21.7	80.3	31.1	111.4	39.4	15.3	24.1	62.5
1959	46.1	9.7	16.2	72.0	31.2	103.2	32.3	11.9	20.4	61.6
1960	49.6	3.3	18.0	70.9	34.7	105.6	35.6	12.0	23.6	63.8
1961	42.9	3.5	23.6	70.0	38.8	108.8	32.6	11.9	20.7	62.0
1962	47.7	7.1	21.4	76.2	40.5	116.7	30.7	11.2	19.5	55.4
1963	53.6	10.7	21.7	86.0	3/27.6	113.6				

TOTAL, TYPES 35-36  
(October-September Marketing Year)

1958	36.2	30.2	6.1	72.5	16.1	88.6	25.0	7.5	17.5	38.4
1959	41.0	18.1	4.5	63.6	19.3	82.9	22.0	5.5	16.5	34.5
1960	36.5	17.7	6.7	60.9	18.2	79.1	21.9	4.7	17.2	37.4
1961	36.6	15.6	5.0	57.2	20.6	77.8	22.6	4.6	18.0	37.8
1962	36.2	15.8	3.2	55.2	22.5	77.7	19.5	4.2	15.3	36.2
1963	36.0	17.8	4.4	58.2	3/22.8	81.0				

ONE SUCKER, TYPE 35  
(October-September Marketing Year)

1958	22.0	21.2	4.3	47.5	11.6	59.1	16.3	6.2	10.1	39.0
1959	27.5	11.3	4.0	42.8	14.0	56.8	15.8	4.3	11.5	34.7
1960	23.0	12.2	5.8	41.0	12.2	53.2	15.3	4.0	11.3	38.4
1961	24.4	9.4	4.1	37.9	13.6	51.5	16.3	3.6	12.7	39.1
1962	24.0	8.8	2.4	35.2	14.9	50.1	12.8	3.4	9.4	36.7
1963	23.5	9.9	3.9	37.3	3/15.4	52.7				

GREEN RIVER, TYPE 36  
(October-September Marketing Year)

1958	14.2	9.0	1.8	25.0	4.5	29.5	8.7	1.3	7.4	36.7
1959	13.5	6.8	.5	20.8	5.3	26.1	6.2	1.2	5.0	34.0
1960	13.5	5.5	.9	19.9	6.0	25.9	6.6	.7	5.9	35.4
1961	12.2	6.2	.9	19.3	7.0	26.3	6.3	1.0	5.3	35.3
1962	12.2	7.0	.8	20.0	7.6	27.6	6.7	.8	5.9	35.1
1963	12.5	7.9	.5	20.9	3/7.4	28.3				

VIRGINIA SUN-CURED, TYPE 37  
(October-September Marketing Year)

1958	4.7	-	.8	5.5	1.9	7.4	2.5	.3	2.2	36.8
1959	4.4	-	.5	4.9	2.2	7.1	1.9	.3	1.6	34.4
1960	4.8	-	.4	5.2	1.8	7.0	2.0	.3	1.7	37.9
1961	4.5	-	.5	5.0	2.2	7.2	2.1	.3	1.8	39.8
1962	4.6	-	.5	5.1	2.3	7.4	2.3	.3	2.0	37.4
1963	4.7	-	.4	5.1	3/1.2	6.3				

See footnotes at end of table.

Continued-

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1958-63 1/--Continued

PENNSYLVANIA SEEDLEAF, TYPE 41  
(October-September Marketing Year)

Marketing year	Carry-over 2/				Pro-duction	Total supply	Disappearance			Average price to growers
	Manu- facturers	Under loan	Other	Total			Total	Export	Other	
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1958	81.3	-	22.4	103.7	51.0	154.7	50.4	.3	50.1	28.0
1959	86.1	-	18.2	104.3	53.5	157.8	48.1	.1	48.0	31.5
1960	96.2	-	13.5	109.7	52.7	162.4	47.5	.1	47.4	28.0
1961	99.7	-	15.2	114.9	53.5	168.4	45.5	.1	45.4	27.0
1962	105.3	-	17.6	122.9	60.0	182.9	54.9**	.2	54.7	23.5
1963	109.7	-	18.3	128.0	3/50.0	178.0				

MIAMI VALLEY (OHIO) FILLER, TYPES 42-44  
(October-September Marketing Year)

1958	19.4	-	1.1	20.5	2.5	23.0	5.9		5.9	24.2
1959	16.6	-	.5	17.1	6.9	24.0	6.5		6.5	27.3
1960	17.0	-	.5	17.5	6.6	24.1	6.5		6.5	28.1
1961	17.1	-	.5	17.6	7.7	25.3	5.1		5.1	28.3
1962	19.8	-	.4	20.2	7.4	27.6	6.5		6.5	28.4
1963	20.1	-	1.0	21.1	3/6.8	27.9				

PUERTO RICAN FILLER, TYPE 46  
(October-September Marketing Year)

1958	41.3	1.0	7.3	49.6	25.6	75.2	32.8	1.2	31.6	30.0
1959	27.6	-	14.8	42.4	27.6	70.0	26.2	.5	25.7	32.2
1960	37.1	-	6.7	43.8	27.1	70.9	27.6	.1	27.5	34.2
1961	31.8	-	11.5	43.3	30.4	73.7	32.1	-	32.1	37.2
1962	28.6	-	13.0	41.6	35.6	77.2	28.0	-	28.0	38.0
1963	38.5	-	10.7	49.2	3/34.0	83.2				

CONNECTICUT BROADLEAF, TYPE 51  
(October-September Marketing Year)

1958	11.4	7.7	3.1	22.2	3.6	25.8	5.8	.2	5.6	54.0
1959	9.9	6.5	3.6	20.0	4.5	24.5	4.1	.2	3.9	45.0
1960	10.2	7.7	2.5	20.4	3.6	24.0	4.6	.3	4.3	44.0
1961	8.8	8.9	1.7	19.4	3.1	22.5	3.7	.1	3.6	43.3
1962	8.6	8.1	2.1	18.8	2.9	21.7	6.2	.2	6.0	53.5
1963	9.5	3.9	2.1	15.5	3/3.5	19.0				

CONNECTICUT HAVANA SEED, TYPE 52  
(October-September Marketing Year)

1958	6.4	6.4	3.1	15.9	1.8	17.7	3.2	.6	2.6	49.4
1959	7.2	5.7	1.6	14.5	3.2	17.7	4.9	.7	4.2	41.2
1960	6.5	4.8	1.5	12.8	3.2	16.0	4.2	1.8	2.4	42.5
1961	5.6	4.9	1.3	11.8	2.4	14.2	3.2	1.1	2.1	40.6
1962	3.9	5.3	1.8	11.0	2.4	13.4	3.3	.7	2.6	42.5
1963	2.8	6.0	1.3	10.1	3/2.0	12.1				

SOUTHERN WISCONSIN, TYPE 54  
(October-September Marketing Year)

1958	19.2	.5	.3	20.0	8.8	28.8	7.9	.4	7.5	34.6
1959	19.5	-	1.4	20.9	9.3	30.2	8.0	.3	7.7	29.3
1960	17.0	.9	4.3	22.2	8.6	30.8	7.5	.2	7.3	28.0
1961	15.8	3.1	4.4	23.3	9.0	32.3	9.0	.1	8.9	28.7
1962	17.2	3.8	2.3	23.3	8.7	32.0	7.7	.1	7.6	29.3
1963	19.6	3.4	1.3	24.3	3/8.0	32.3				

See footnotes at end of table.

Continued--



Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1958-63 1/--Continued

NORTHERN WISCONSIN, TYPE 55  
(October-September Marketing Year)

Marketing year	Carry-over 2/				Pro- duction	Total supply	Disappearance			Average price to growers
	Manu- facturers	Under loan	Other	Total			Total	Export	Other	
	Millions pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1958	21.9	1.5	3.2	26.6	13.0	39.6	14.3	2.3	12.0	35.2
1959	21.1	.7	3.5	25.3	11.6	36.9	12.5	.9	11.6	37.1
1960	21.0	.6	2.8	24.4	12.3	36.7	11.3	.4	10.9	30.6
1961	21.0	3.0	1.4	25.4	13.4	38.8	11.0	.4	10.6	29.6
1962	18.2	6.6	3.0	27.8	10.9	38.7	11.1	.2	10.9	29.1
1963	15.5	9.9	2.2	27.6	3/ 8.8	36.4				

TOTAL CIGAR WRAPPER, TYPES 61-62  
(July-June Marketing Year)

1958	14.9	-	5.7	20.6	16.5	37.1	16.8	5.3	11.5	215.8
1959	14.8	-	5.5	20.3	18.5	38.8	16.1	3.9	12.2	204.0
1960	16.7	-	6.0	22.7	21.3	44.0	17.9	3.5	14.4	194.0
1961	18.8	-	7.3	26.1	19.1	45.2	21.4	5.9	15.5	214.0
1962	18.7	-	5.1	23.8	19.3	43.1	20.5	4.9	15.6	231.0
1963	17.6	-	5.0	22.6	3/18.3	40.9				

CONNECTICUT SHADE, TYPE 61  
(July-June Marketing Year)

1958	9.0	-	4.1	13.1	10.2	23.3	10.3	3.4	6.9	235.0
1959	9.0	-	4.0	13.0	10.7	23.7	8.6	2.5	6.1	210.0
1960	10.8	-	4.3	15.1	12.0	27.1	11.4	2.5	8.9	190.0
1961	11.4	-	4.3	15.7	10.3	26.0	12.2	3.3	8.9	235.0
1962	11.0	-	2.8	13.8	11.9	25.7	12.0	2.8	9.2	250.0
1963	10.9	-	2.8	13.7	3/11.5	25.3				

GEORGIA AND FLORIDA SHADE, TYPE 62  
(July June Marketing Year)

1958	5.9	-	1.6	7.5	6.3	13.8	6.5	1.9	4.6	185.0
1959	5.8	-	1.5	7.3	7.8	15.1	7.5	1.4	6.1	195.0
1960	5.9	-	1.7	7.6	9.3	16.9	6.5	1.0	5.5	200.0
1961	7.4	-	3.0	10.4	8.8	19.2	9.2	2.6	6.6	190.0
1962	7.7	-	2.3	10.0	7.4	17.4	8.5	2.1	6.4	200.0
1963	6.7	-	2.2	8.9	3/6.7	15.6				

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ The carry-over stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

3/ December 1 estimate, U. S. Crop Reporting Board, SRS.

\* Burley production and supply based on sales.

\*\* It is estimated that this disappearance figure (54.9 million pounds) is overstated by about 5 million pounds, because tobacco in this amount is estimated to have been still on farms and was not reflected in the stocks figure reported on October 1, 1963 (128.0 million).

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades owned by dealers and manufacturers, January 1, 1964 compared with January 1, 1963, and October 1, 1963

## REPORTED WEIGHT

### TYPES 11-14 - FLUE-CURED

#### Type 11, Old and Middle Belt flue-cured

Group	January 1, 1964 2/			January 1, 1963			October 1, 1963		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	400,826	380,905	781,731	327,012	394,934	722,006	272,705	299,370	572,075

#### Type 12, Eastern North Carolina flue-cured

Total Leaf	251,576	439,505	691,081	248,033	439,143	687,176	260,804	385,495	646,299
------------	---------	---------	---------	---------	---------	---------	---------	---------	---------

#### Type 13, South Carolina flue-cured (including southeastern North Carolina)

Total Leaf	141,647	344,659	486,306	171,140	321,338	492,478	177,296	339,119	516,415
------------	---------	---------	---------	---------	---------	---------	---------	---------	---------

#### Type 14, Georgia and Florida flue-cured

Total Leaf	61,254	169,467	230,721	56,484	176,773	233,257	77,293	187,035	264,328
------------	--------	---------	---------	--------	---------	---------	--------	---------	---------

#### Types 11-14, Total flue-cured

Total Leaf	855,303	1,334,536	2,189,839	802,669	1,332,248	2,134,917	788,098	1,211,019	1,999,117
Other Leaf 1/:	76	3,274	3,350	181	3,504	3,685	77	3,432	3,509
Total	855,379	1,337,810	2,193,189	802,850	1,335,752	2,138,602	788,175	1,214,451	2,002,626

### TYPES 21-23 - FIRE-CURED

#### Type 21, Virginia fire-cured

Total Leaf	16,085	212	16,297	17,771	280	18,051	16,092	277	16,369
------------	--------	-----	--------	--------	-----	--------	--------	-----	--------

#### Type 22, Tennessee and Kentucky fire-cured, (Eastern District)

Total Leaf	61,835	651	62,486	59,577	211	59,788	70,353	180	70,533
------------	--------	-----	--------	--------	-----	--------	--------	-----	--------

#### Type 23, Kentucky and Tennessee fire-cured, (Western District)

Total Leaf	17,102	119	17,221	14,510	4	14,514	18,988	41	19,029
------------	--------	-----	--------	--------	---	--------	--------	----	--------

#### Types 21-23, Total fire-cured

Total Leaf	95,022	982	96,004	91,858	495	92,353	105,433	498	105,931
------------	--------	-----	--------	--------	-----	--------	---------	-----	---------

### TYPES 31-32 - LIGHT AIR-CURED

#### Type 31, Burley

Total Leaf	352,479	745,119	1,097,598	291,679	739,087	1,030,766	161,839	693,155	854,994
Other Leaf 1/:	-	1,483	1,483	-	1,602	1,602	-	1,638	1,638
Total	352,479	746,602	1,099,081	291,679	740,689	1,032,368	161,839	694,793	856,632

#### Type 32, Southern Maryland

Total Leaf	44,258	22,677	66,935	30,751	26,016	56,767	50,649	24,881	75,530
Other Leaf 1/:	-	67	67	15	67	82	-	70	70
Total	44,258	22,744	67,002	30,766	26,083	56,849	50,649	24,951	75,600

### TYPES 35-37 - DARK AIR-CURED

#### Type 35, One Sucker

Total Leaf	31,143	2,015	33,158	28,923	1,950	30,873	30,938	2,326	33,264
------------	--------	-------	--------	--------	-------	--------	--------	-------	--------

#### Type 36, Green River

Total Leaf	17,718	1,052	18,770	15,745	1,571	17,316	16,859	1,206	18,065
------------	--------	-------	--------	--------	-------	--------	--------	-------	--------

#### Type 37, Virginia sun-cured

Total Leaf	4,406	-	4,406	4,400	237	4,637	4,226	128	4,354
------------	-------	---	-------	-------	-----	-------	-------	-----	-------

#### Types 35-37, Total dark air-cured

Total Leaf	53,267	3,067	56,334	49,068	3,758	52,826	52,023	3,660	55,683
------------	--------	-------	--------	--------	-------	--------	--------	-------	--------

### TYPES 41-46 - CIGAR LEAF FILLER

#### Type 41, Pennsylvania Seedleaf

B	19,822	428	20,250	1,115	14	1,129	1,766	14	1,780
C	44,379	2,152	46,531	56,691	1,862	58,553	66,565	2,237	68,802
X	33,817	459	34,276	31,318	676	31,994	38,005	574	38,579
Y	6,679	644	7,323	8,272	1,640	9,912	7,658	1,113	8,771
S	8	2,496	2,504	5	3,336	3,341	324	2,677	3,001
Total Leaf	104,705	6,179	110,884	97,401	7,528	104,929	114,318	6,615	120,933
Other Leaf 1/:	36	560	596	47	681	728	20	527	547
Total	104,741	6,739	111,480	97,448	8,209	105,657	114,338	7,142	121,480

See footnotes at end of table.

Continued--

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades owned by dealers and manufacturers, January 1, 1964 compared with January 1, 1963, and October 1, 1963--Continued

# REPORTED WEIGHT

TYPES 41-46 - CIGAR LEAF FILLER--Continued

## Types 42-44, Ohio Filler (Miami Valley)

Group	January 1, 1964 2/			January 1, 1963			October 1, 1963		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
C	1,755	31	1,786	14,527	38	14,565	1,900	35	1,935
X	14,102	2	14,104	737	-	737	16,251	88	16,339
Y	-	-	-	-	4	4	2	407	409
S	-	351	351	-	353	353	-	14	14
Total Leaf	15,857	384	16,241	15,264	395	15,659	18,153	544	18,697
Other Leaf 1/:	-	49	49	-	28	28	-	48	48
Total	15,857	433	16,290	15,264	423	15,687	18,153	592	18,745

## Type 46, Puerto Rican (In Continental United States)

C	29	1,008	1,037	176	622	798	83	545	628
X	2,024	909	2,933	2,266	1,594	3,860	2,458	330	2,788
S	39	6,386	6,425	36	5,187	5,223	21	6,437	6,458
Total Leaf	2,092	8,303	10,395	2,478	7,403	9,881	2,562	7,312	9,874
Other Leaf 1/:	-	83	83	-	95	95	-	18	18
Total	2,092	8,386	10,478	2,478	7,498	9,976	2,562	7,330	9,892

## Type 46, Puerto Rican (In Puerto Rico)

C	14,759	82	14,841	9,405	173	9,578	18,064	162	18,226
X	8,771	5	8,776	8,187	47	8,234	10,615	26	10,641
S	703	147	850	54	814	868	249	657	906
N	16	277	293	74	-	74	132	-	132
Total Leaf	24,249	511	24,760	17,720	1,034	18,754	29,060	845	29,905

## Type 46, Total Puerto Rican

C	14,788	1,090	15,878	9,581	795	10,376	18,147	707	18,854
X	10,795	914	11,709	10,453	1,641	12,094	13,073	356	13,429
S-N	758	6,810	7,568	164	6,001	6,165	402	7,094	7,496
Total Leaf	26,341	8,814	35,155	20,198	8,437	28,635	31,622	8,157	39,779
Other Leaf 1/:	-	83	83	-	95	95	-	18	18
Total	26,341	8,897	35,238	20,198	8,532	28,730	31,622	8,175	39,797

## TYPES 51-55 - CIGAR LEAF BINDER

### Type 51, Connecticut Valley Broadleaf

A	1,616	13	1,629	1,286	4	1,290	1,240	5	1,245
B	8,277	145	8,422	11,719	54	11,773	9,471	117	9,588
C	236	20	256	198	28	226	104	18	122
X	2,613	-	2,613	2,342	16	2,358	2,441	-	2,441
S	154	312	466	78	430	508	243	491	734
Total Leaf	12,896	490	13,386	15,623	532	16,155	13,499	631	14,130
Other Leaf 1/:	486	69	555	551	78	629	489	72	561
Total	13,382	559	13,941	16,174	610	16,784	13,988	703	14,691

### Type 52, Connecticut Valley Havana Seed

A	787	7	794	747	6	753	738	2	740
B	8,309	6	8,315	7,823	2	7,825	7,226	4	7,230
C	48	-	48	39	-	39	8	-	8
X	906	1	907	1,972	1	1,973	1,286	-	1,286
S	18	156	174	-	257	257	4	226	230
Total Leaf	10,068	170	10,238	10,581	266	10,847	9,262	232	9,494
Other Leaf 1/:	145	-	145	284	-	284	144	-	144
Total	10,213	170	10,383	10,865	266	11,131	9,406	232	9,638

### Type 54, Southern Wisconsin

B	5	68	73	5	96	101	8	27	35
C	154	155	309	155	238	393	271	215	486
X	20,767	2	20,769	19,410	213	19,623	22,725	154	22,879
S	47	24	71	22	22	44	44	17	61
Total Leaf	20,973	249	21,222	19,592	569	20,161	23,048	413	23,461
Other Leaf 1/:	-	3	3	17	1	18	-	1	1
Total	20,973	252	21,225	19,609	570	20,179	23,048	414	23,462

See footnotes at end of table.

Continued--



Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades owned by dealers and manufacturers, January 1, 1964 compared with January 1, 1963, and October 1, 1963--Continued

# REPORTED WEIGHT

TYPES 51-55 - CIGAR LEAF BINDER--Continued

## Type 55, Northern Wisconsin

Group	January 1, 1964 2/			January 1, 1963			October 1, 1963		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
B	2,787	21	2,808	2,617	8	2,625	3,075	5	3,080
C	3,371	32	3,403	3,364	64	3,428	5,773	26	5,799
X	15,466	173	15,639	17,193	440	17,633	16,919	225	17,144
S	3,291	109	3,400	4	79	83	-	133	133
Total Leaf	24,915	335	25,250	23,178	591	23,769	25,767	389	26,156
Other Leaf 1/:	240	5	245	130	5	135	225	5	230
Total	25,155	340	25,495	23,308	596	23,904	25,992	394	26,386

## TYPES 61-62 - CIGAR LEAF WRAPPER

### Type 61, Connecticut Shade

A	10,778	1,087	11,865	11,564	532	12,096	9,841	939	10,780
B	1,610	8	1,618	2,195	158	2,353	1,770	13	1,783
C	433	75	508	538	89	627	470	70	540
S	44	993	1,037	44	1,187	1,231	44	1,042	1,086
Total Leaf	12,865	2,163	15,028	14,341	1,966	16,307	12,125	2,064	14,189
Other Leaf 1/:	46	223	269	53	265	318	60	222	282
Total	12,911	2,386	15,297	14,394	2,231	16,625	12,185	2,286	14,471

### Type 62, Georgia and Florida Shade

A	9,519	388	9,907	8,297	182	8,479	6,860	319	7,179
B	127	99	226	91	5	96	602	5	607
C	207	22	229	49	57	106	123	19	142
S	2	271	273	3	363	366	2	317	319
Total Leaf	9,855	780	10,635	8,440	607	9,047	7,587	660	8,247

## GROUP SUMMARY ALL CIGAR TOBACCO 3/

January 1, 1964 2/

Class	Group						
	A	B	C	X	Y	S-N	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Filler, Types 41-46 4/	-	20,250	64,195	60,089	7,323	10,423	162,280
Binder, Types 51-55	2,423	19,618	4,016	39,928	-	4,111	70,096
Wrapper, Types 61-62	21,772	1,844	737	-	-	1,310	25,663
Foreign, Types 81-88	500	-	35,303	-	-	18,475	54,278
Total Leaf	24,695	41,712	104,251	100,017	7,323	34,319	312,317
Other Leaf 1/							2,110
Total							314,427

January 1, 1963

Filler, Types 41-46 4/	-	1,129	83,494	44,539	10,202	9,859	149,223
Binder, Types 51-55	2,043	22,324	4,086	41,587	-	892	70,932
Wrapper, Types 61-62	20,575	2,449	733	-	-	1,597	25,354
Foreign, Types 81-88	1,210	-	39,863	-	-	21,890	62,963
Total Leaf	23,828	25,902	128,176	86,126	10,202	34,238	308,472
Other Leaf 1/	-	-	-	-	-	-	2,412
Total	-	-	-	-	-	-	310,884

October 1, 1963

Filler, Types 41-46 4/	-	1,780	89,591	68,347	9,180	10,511	179,409
Binder, Types 51-55	1,985	19,933	6,415	43,750	-	1,158	73,241
Wrapper, Types 61-62	17,959	2,390	682	-	-	1,405	22,436
Foreign, Types 81-88	585	-	37,045	-	-	19,427	57,057
Total Leaf	20,529	24,103	133,733	112,097	9,180	32,501	332,143
Other Leaf 1/	-	-	-	-	-	-	1,998
Total	-	-	-	-	-	-	334,141

See footnotes at end of table.

Continued--



Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades owned by dealers and manufacturers, January 1, 1964 compared with January 1, 1963, and October 1, 1963--Continued

## REPORTED WEIGHT

TYPES 72-73 - MISCELLANEOUS DOMESTIC

### Type 72, Perique

Group	January 1, 1964 2/			January 1, 1963			October 1, 1963		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	-	398	398	-	464	464	-	474	474

### Type 73, Other miscellaneous domestic 5/ 6/

Total Leaf	-	2,437	2,437	80	2,967	3,047	-	2,265	2,265
------------	---	-------	-------	----	-------	-------	---	-------	-------

TYPES 81-88 - FOREIGN-GROWN CIGAR-LEAF

### Type 81, Cuba

A	480	20	500	1,155	55	1,210	583	2	585
C	6,905	3,256	10,161	9,524	5,172	14,696	7,232	3,655	10,887
S	3,670	2,236	5,906	5,121	4,188	9,309	3,723	2,618	6,341
Total Leaf	11,055	5,512	16,567	15,800	9,415	25,215	11,538	6,275	17,813
Other Leaf 1/:	-	66	66	-	134	134	-	66	66
Total	11,055	5,578	16,633	15,800	9,549	25,349	11,538	6,341	17,879

### Type 82, Indonesia

Total Leaf	2,467	116	2,583	1,560	296	1,856	2,130	219	2,349
Other Leaf 1/:	12	16	28	4	-	4	4	1	5
Total	2,479	132	2,611	1,564	296	1,860	2,134	220	2,354

### Type 83, Philippine Islands

Total Leaf	1,731	8,877	10,608	271	10,908	11,179	1,510	9,664	11,174
Other Leaf 1/:	-	42	42	-	37	37	-	39	39
Total	1,731	8,919	10,650	271	10,945	11,216	1,510	9,703	11,213

### Type 84, Brazil

Total Leaf	2,810	1,288	4,098	2,464	535	2,999	2,853	1,490	4,343
Other Leaf 1/:	-	16	16	-	-	-	-	1	1
Total	2,810	1,304	4,114	2,464	535	2,999	2,853	1,491	4,344

### Type 85, Colombia

Total Leaf	6,016	1,667	7,683	4,957	2,101	7,058	7,912	1,581	9,493
Other Leaf 1/:	-	1	1	-	-	-	-	5	5
Total	6,016	1,668	7,684	4,957	2,101	7,058	7,912	1,586	9,498

### Type 86, Dominican Republic

Total Leaf	5,684	2,495	8,179	6,686	2,040	8,726	4,462	2,790	7,252
Other Leaf 1/:	-	12	12	-	2	2	-	1	1
Total	5,684	2,507	8,191	6,686	2,042	8,728	4,462	2,791	7,253

### Type 87, Paraguay

Total Leaf	1,613	465	2,078	2,349	362	2,711	1,863	610	2,473
Other Leaf 1/:	-	-	-	-	-	-	-	4	4
Total	1,613	465	2,078	2,349	362	2,711	1,863	614	2,477

### Type 88, Other foreign grown cigar-leaf

Total Leaf	1,700	782	2,482	2,676	543	3,219	1,739	421	2,160
Other Leaf 1/:	-	-	-	-	-	-	-	46	46
Total	1,700	782	2,482	2,676	543	3,219	1,739	467	2,206

### Types 81-88, Total foreign-grown cigar-leaf

Total Leaf	33,076	21,202	54,278	36,763	26,200	62,963	34,007	23,050	57,057
Other Leaf 1/:	12	153	165	4	173	177	4	163	167
Total	33,088	21,355	54,443	36,767	26,373	63,140	34,011	23,213	57,224

TYPE 90 - FOREIGN-GROWN CIGARETTE AND SMOKING TOBACCO (TURKISH AND OTHER)

Total Leaf	255,248	412	255,660	265,581	614	266,195	263,724	312	264,036
Other Leaf 1/:	85	358	443	141	442	583	98	392	490
Total	255,333	770	256,103	265,722	1,056	266,778	263,822	704	264,526

TYPES 11-90 - TOTAL ALL TYPES

Total Leaf	1,927,129	2,150,394	4,077,523	1,793,067	2,152,740	3,945,807	1,711,154	1,979,019	3,690,173
Other Leaf 1/:	1,126	6,327	7,453	1,423	6,941	8,364	1,117	6,588	7,705
Total	1,928,255	2,156,721	4,084,976	1,794,490	2,159,681	3,954,171	1,712,271	1,985,607	3,697,878

1/ Represents leaf tobacco in stocks of reconstituted or processed tobacco sheet.

2/ Subject to revision.

3/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.

4/ Includes Puerto Rican on the Island, Type 46.

5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

6/ Includes Types 70 and 77, previously reported separately.

Table 5.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and for cigarettes (including smoking tobacco), separately 1/

U.S. type number		Cigar Binder					
		January 1, 1964			October 1, 1963	July 1, 1963	April 1, 1963
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11-14	Unstemmed	3	5	7	3	3	4
	Stemmed	4	3	14	4	4	1
	Total	7	8	21	7	7	5
32	Stemmed	42	47	33	41	57	56
41	Unstemmed	36	47	184	20	30	31
	Stemmed	560	681	250	527	789	670
	Total	596	728	434	547	819	701
42-44	Stemmed	49	28	20	48	50	42
46	Stemmed	83	95	14	18	99	96
51	Unstemmed	486	551	240	489	548	539
	Stemmed	69	78	146	72	81	82
	Total	555	629	386	561	629	621
52	Unstemmed	145	284	268	144	139	181
54	Unstemmed	-	17	-	-	-	20
	Stemmed	3	1	4	1	1	1
	Total	3	18	4	1	1	21
55	Unstemmed	240	130	205	225	249	233
	Stemmed	5	5	1	5	7	1
	Total	245	135	206	230	256	234
61	Unstemmed	46	53	59	60	33	55
	Stemmed	223	265	456	222	248	272
	Total	269	318	515	282	281	327
81	Unstemmed	-	-	90	-	-	-
	Stemmed	66	134	32	66	115	138
	Total	66	134	122	66	115	138
82	Unstemmed	12	4	-	4	5	1
	Stemmed	16	-	-	1	-	1
	Total	28	4	-	5	5	2
83	Stemmed	42	37	19	39	59	58
84	Stemmed	16	-	-	1	-	-
85	Stemmed	1	-	-	5	-	2
86	Stemmed	12	2	-	1	10	3
87	Stemmed	-	-	-	4	-	-
88	Stemmed	-	-	-	46	-	-
Total	Unstemmed	968	1,091	1,053	945	1,007	1,064
	Stemmed	1,191	1,376	989	1,101	1,520	1,423
	Total	2,159	2,467	2,042	2,046	2,527	2,487
		Cigarettes (including smoking tobacco)					
11-14	Unstemmed	73	176	-	74	105	158
	Stemmed	3,270	3,501	3,566	3,428	3,821	3,844
	Total	3,343	3,677	3,566	3,502	3,926	4,002
31	Stemmed	1,483	1,602	1,592	1,638	1,865	1,849
32	Unstemmed	-	15	-	-	-	-
	Stemmed	25	20	29	29	34	37
	Total	25	35	29	29	34	37
90	Unstemmed	85	141	78	98	155	160
	Stemmed	358	442	445	392	495	477
	Total	443	583	523	490	650	637
Total	Unstemmed	158	332	78	172	260	318
	Stemmed	5,136	5,565	5,632	5,487	6,215	6,207
	Total	5,294	5,897	5,710	5,659	6,475	6,525
		Grand Total					
Total all types	Unstemmed	1,126	1,423	1,131	1,117	1,267	1,382
	Stemmed	6,327	6,941	6,621	6,588	7,735	7,630
	Total	7,453	8,364	7,752	7,705	9,002	9,012

1/ These stocks included in table 4 under respective type as "Other Leaf".

Table 6.--Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, January 1, 1964 compared with January 1, 1963 <sup>1/</sup> <sup>2/</sup>

## REPORTED WEIGHT

U.S. type number	Reported as owned by manufacturers <sup>3/</sup>				Reported as owned by dealers (including loan stocks) <sup>3/</sup>			
	January 1, 1964			January 1, 1963	January 1, 1964			January 1, 1963
	Unstemmed	Stemmed	Total		Unstemmed	Stemmed	Total	
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11	21,900	311,361	333,261	367,840	378,926	69,544	448,470	354,166
12	12,003	394,503	406,506	408,708	239,573	45,002	284,575	278,468
13	15,501	303,859	319,360	311,681	126,146	40,800	166,946	180,797
14	467	152,894	153,361	163,335	60,787	16,573	77,360	69,922
11-14	49,947	1,165,891	1,215,838 <sup>1/</sup>	1,255,249	805,432	171,919	977,351	883,353
21	9,087	181	9,268	10,103	6,998	31	7,029	7,948
22	35,044	476	35,520	36,051	26,791	175	26,966	23,737
23	5,920	119	6,039	5,755	11,182	-	11,182	8,759
21-23	50,051	776	50,827	51,909	44,971	206	45,177	40,444
31	109,761	725,718	835,479	894,996	242,718	20,884	263,602	137,372
32	19,865	22,651	42,516	36,872	24,393	93	24,486	19,977
31-32	129,626	748,369	877,995	931,868	267,111	20,977	288,088	157,349
35	17,982	2,011	19,993	21,177	13,161	4	13,165	9,696
36	9,390	1,011	10,401	10,179	8,328	41	8,369	7,137
37	3,859	-	3,859	4,198	547	-	547	439
35-37	31,231	3,022	34,253	35,554	22,036	45	22,081	17,272
41	88,559	6,095	94,654	89,392	16,182	644	16,826	16,265
42-44	15,095	429	15,524	15,361	762	4	766	326
46 4/	20,564	8,405	28,969	22,598	5,777	492	6,269	6,132
41-46	124,218	14,929	139,147	127,351	22,721	1,140	23,861	22,723
51	8,579	518	9,097	7,964	4,803	41	4,844	8,820
52	2,161	147	2,308	3,501	8,052	23	8,075	7,630
54	17,459	127	17,586	15,329	3,514	125	3,639	4,850
55	15,326	320	15,646	15,526	9,829	20	9,849	8,378
51-55	43,525	1,112	44,637	42,320	26,198	209	26,407	29,678
61	8,018	2,202	10,220	11,326	4,893	184	5,077	5,299
62	6,415	413	6,828	6,272	3,440	367	3,807	2,775
61-62	14,433	2,615	17,048	17,598	8,333	551	8,884	8,074
72	-	237	237	181	-	161	161	283
73 5/ 6/	1	2,408	2,409	3,004	-	29	29	43
72-73	1	2,645	2,646	3,185	-	190	190	326
81	8,484	3,957	12,441	20,463	2,571	1,621	4,192	4,886
82	2,468	115	2,583	1,808	11	17	28	52
83	1,703	5,536	7,239	4,971	28	3,383	3,411	6,245
84	2,270	1,069	3,339	2,381	540	235	775	618
85	5,551	1,604	7,155	6,836	465	64	529	222
86	5,027	2,163	7,190	7,777	657	344	1,001	951
87	34	-	34	101	1,579	465	2,044	2,610
88	760	220	980	283	940	562	1,502	2,936
81-88	26,297	14,664	40,961	44,620	6,791	6,691	13,482	18,520
90	254,802	770	255,572	265,818	531	-	531	960
11-90	724,131	1,954,793	2,678,924	2,775,472	1,204,124	201,928	1,406,052	1,178,699

<sup>1/</sup> Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

<sup>2/</sup> These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

<sup>3/</sup> This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

<sup>4/</sup> Includes stocks on the Island of Puerto Rico.

<sup>5/</sup> For explanation of stocks included in this classification see footnote 5 on page 15.

<sup>6/</sup> Includes Types 31-V, 70 and 77, previously reported separately.



Table 7.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, January 1, 1964 compared with other quarters 1/ 2/

## REPORTED WEIGHT

Type name	U.S. type number	January 1, 1964 3/			January 1, 1963	October 1, 1963	October 1, 1962
		Unstemmed	Stemmed	Total			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured	11	400,826	380,905	781,731	722,006	572,075	541,351
Eastern North Carolina flue-cured	12	251,576	439,505	691,081	687,176	646,299	653,074
South Carolina flue-cured (including Southeastern N. C.)	13	141,647	344,659	486,306	492,478	516,415	512,830
Georgia and Florida flue-cured	14	61,254	169,467	230,721	233,257	264,328	256,517
Total Flue-cured	11-14	855,379	1,337,810	2,193,189 1/	2,138,602	2,002,626	1,967,304
Virginia fire-cured	21	16,085	212	16,297	18,051	16,369	16,039
Tennessee and Kentucky fire-cured (Eastern District)	22	61,835	651	62,486	59,788	70,533	69,310
Kentucky and Tennessee fire-cured (Western District)	23	17,102	119	17,221	14,514	19,029	16,530
Total Fire-cured	21-23	95,022	982	96,004	92,353	105,931	101,879
Burley	31	352,479	746,602	1,099,081	1,032,368	856,632	784,097
Southern Maryland	32	44,258	22,744	67,002	56,849	75,600	66,800
Total Light Air-cured	31-32	396,737	769,346	1,166,083	1,089,217	932,232	850,897
One Sucker	35	31,143	2,015	33,158	30,873	33,264	31,356
Green River	36	17,718	1,052	18,770	17,316	18,065	17,174
Virginia sun-cured	37	4,406	-	4,406	4,637	4,354	4,362
Total Dark Air-cured	35-37	53,267	3,067	56,334	52,826	55,683	52,892
Pennsylvania Seedleaf	41	104,741	6,739	111,480	105,657	121,480	115,195
Ohio Filler (Miami Valley)	42-44	15,857	433	16,290	15,687	18,745	17,979
Puerto Rico:							
In United States	46	2,092	8,386	10,478	9,976	9,892	8,900
In Puerto Rico	46	24,249	511	24,760	18,754	29,905	24,591
Total Cigar-filler	41-46	146,939	16,069	163,008	150,074	180,022	166,665
Connecticut Valley Broadleaf	51	13,382	559	13,941	16,784	14,691	17,942
Connecticut Valley Havana Seed	52	10,213	170	10,383	11,131	9,638	10,451
Southern Wisconsin	54	20,973	252	21,225	20,179	23,462	22,248
Northern Wisconsin	55	25,155	340	25,495	23,904	26,386	26,543
Total Cigar-binder	51-55	69,723	1,321	71,044	71,998	74,177	77,184
Connecticut shade	61	12,911	2,386	15,297	16,625	14,471	14,973
Georgia and Florida shade	62	9,855	780	10,635	9,047	8,247	9,984
Total Cigar-wrapper	61-62	22,766	3,166	25,932	25,672	22,718	24,957
Perique	72	-	398	398	464	474	494
Other Miscellaneous Domestic 4/	73	1	2,437	2,438	3,047	2,265	2,900
Total Miscellaneous Domestic	72-73	1	2,835	2,836	3,511	2,739	3,394
Cuba	81	11,055	5,578	16,633	25,349	17,879	28,047
Indonesia	82	2,479	132	2,611	1,860	2,354	1,697
Philippine Islands	83	1,731	8,919	10,650	11,216	11,213	11,472
Brazil	84	2,810	1,304	4,114	2,999	4,344	1,887
Colombia	85	6,016	1,668	7,684	7,058	9,498	7,763
Dominican Republic	86	5,684	2,507	8,191	8,728	7,253	5,973
Paraguay	87	1,613	465	2,078	2,711	2,477	1,579
Other foreign-grown cigar-leaf	88	1,700	782	2,482	3,219	2,206	3,018
Total Foreign-grown Cigar-leaf	81-88	33,088	21,355	54,443	63,140	57,224	61,436
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	255,333	770	256,103	266,778	264,526	269,091
Total All Types	11-90	1,928,255	2,156,721	4,084,976	3,954,171	3,697,878	3,575,699

1/ Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, Quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1963, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

3/ Subject to revision.

4/ For explanation of stocks included in this classification see footnote 5 on page 15.





UNITED STATES DEPARTMENT OF AGRICULTURE  
WASHINGTON 25, D. C.

January 1, 1964

OFFICIAL BUSINESS

Postage and Fees Paid  
U. S. Department of Agriculture

NOTICE

If you no longer need this  
publication, check here ☐  
return this sheet, and your name  
will be dropped from the mailing  
list.

If your address should be changed,  
write the new address on this  
sheet and return the whole sheet to:

Tobacco Division,  
Agricultural Marketing Service  
U. S. Department of Agriculture  
Washington, D. C. 20250